



भंगहा नगरपालिका

नगर कार्यपालिकाको कार्यालय

पत्र संख्या:- २०८२/०८३

चलानी नं.:- १६४९

भंगहा, महोत्तरी



मधेश प्रदेश, नेपाल ।

मिति:- २०८३/०३/०४

श्री सम्पूर्ण अनुमति प्राप्त फर्म/सप्लायर्सहरु,

विषय: बजार दररेट पेश गर्ने सार्वजनिक सूचना ।

उपरोक्त संबन्धमा आ.व.२०८२/०८३ मा यस कार्यालयमा खरिद प्रक्रिया संचालन गर्न लगत अनुमान तयार गर्ने प्रयोजनार्थ तपसिलका विवरण अनुसारको बजार दररेट प्रति इकाई मूल्य यस कार्यालयलाई यो सूचना प्रकाशन भएको मिति देखि ३ (तिन) दिन भित्र कार्यालय समयमा यस कार्यालयमा वा नगरपालिकाको इमेल bhangahamun@gmail.com मार्फत प्रति इकाई दररेट खुलाई संगलग्न गरि पेश गर्नुहुन यो सार्वजनिक सूचना जारी गरिएको छ ।

तपसिल:

सि.नं.	सामग्रीको नाम	एस्पेसिफिकेसन	इकाई	दर		कैफियत
				अङ्कमा	अक्षरमा	
१	Sanitary pad Incinerator	संगलग्न गरिएको Specification अनुसार	१			

पेश गर्ने कागजातहरु

१. फर्म दर्ता प्रमाणपत्रको प्रतिलिपि
२. आ.व. ०८१/८२ को कर चुक्ता प्रमाणपत्र प्रतिलिपि
३. स्थायी लेखा नं.को प्रमाण पत्रको प्रतिलिपि

विजय कुमार यादव
प्रशासकीय अधिकृत

विजय कुमार यादव
प्रशासकीय अधिकृत

"शिक्षा, स्वास्थ्य, कृषि, पर्यटन, संस्कृति र पूर्वाधार : आत्मनिर्भर, समुन्नत र समृद्ध भंगहा निर्माणको आधार"

www.bhagahamun.gov.np

+977- 9854032003

Email: bhangahamun@gmail.com

Sanitary pad Incinerator

S.N.	Purchaser's Specifications	Bidder's Offer
	Incinerator	
	Sanitary pad Incinerator	
	Brand	
	Type / Model	
	Country of Origin	
1	Description of Function	
1.1	The Sanitary pad Incinerator is used for Incineration of sanitary pads. The disposal of used Sanitary pad is a very important as it is a dangerous waste for human life, and it is only possible with a perfect incinerator.	
2	Technical Specifications	
2.1	It shall be Wall Mounted or Floor rested (separate stand or directly on floor).	
2.2	Its capacity shall be 8 to 10 pads/cycle	
2.3	It shall be made up of Anti- corrosive Powder coated MS Sheet.	
2.4	Incineration chamber shall be: Furnace type cylindrical incineration chamber.	
2.5	It shall be at least 2.0 mm ceramic insulation	
2.6	The tray shall be easily extractable & re — deployable	
2.7	At least 2mtr metallic flexible flue/ exhaust pipe should be provided.	
2.8	Digital display for temperature chamber should be available on external body of the equipment.	
2.9	Power Supply: 230V / 50 Hz, 01 Phase	
2.10	Loading: a) Top/ Front/ Side loading of sanitary pads for incineration. b) Incinerator door size — Min. 3" x 3" Door insulation should be as per requirement.	
2.11	It shall have Single Switch Operation.	
2.12	Cycle Duration (Maximum): 30 minutes	
2.13	Electrical Safety: Overload Protector with reset option	
2.14	Electronic Thermostat based Automatic cut off feature against overheating	
2.15	Incinerator Should burn the loaded sanitary pads completely.	
2.16	Throughout the process of incineration, the outer body temperature must not adversely affect the user or surroundings	
2.17	During the incineration the fumes or gases should pass through exhaust pipe. No smell, fumes or smoke should leak from any part of the incinerator.	
3	Accessories, spares and consumables	
3.1	All standard accessories, consumables and parts required to operate the equipment, including all standard tools and cleaning and lubrication materials, to be included in the offer. Bidders must specify the quantity of every item included in their offer (including items not specified above).	
4	Operating Environment	

S.N.	Purchaser's Specifications	Bidder's Offer
4.1	The system offered shall be designed to store and to operate normally under the conditions of the purchaser's country. The conditions include Power Supply, Climate, Temperature, Humidity, etc.	
5	Standards and Safety Requirements	
5.1	Must submit ISO 9001 AND	
5.2	CE or USFDA approved certificate.	
6	User Training	
6.1	Must provide user training (including how to use and maintain the equipment).	
7	Warranty	
7.1	Comprehensive warranty for 2 years after acceptance.	
8	Installation and Commissioning	
8.1	The bidder must arrange for the equipment to be installed and commissioned by certified or qualified personnel; any prerequisites for installation to be communicated to the purchaser in advance, in detail.	
9	Documentation	
9.1	User (Operating) manual in English.	
9.2	Service (Technical / Maintenance) manual in English	